



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

This Inſect, under what Shape ſoever it appears, *viz.* either of a Grain, a Male Worm, a Nymph, a Fly, a Female Worm, or a Worm coming out of an Egg, always when preſſed and cruſhed, affords a Matter of a purple Colour, which however is obſerved to run moſt copious in the *Cocci* and the Worms, eſpecially the Female ones.

This may ſuffice at preſent for the Correſtion and Amendment of my ſhort Hiſtory of the *Coccus*, till theſe things may appear explained more at large, and illuſtrated with Figures, in the ſecond Part of it, which is to treat of the Chymical Examination of it, and of its uſe in Dying as well as Phyſick.

VII. *A Continuation of an Account of an Eſſay towards a Natural Hiſtory of Carolina and the Bahama Iſlands, by Mark Catesby, F. R. S. with ſome Extraſts out of the fifth Set. By Dr. Mortimer, R. S. Secret.*

THE Accounts of the foregoing Sets of this Work are to be found in N^o 415 and 420 of theſe *Transactions*: This fifth Set begins at Plate

81. *Pelicanus Americanus*. The Wood Pelican.

82. *Numenius albus*. The white Curlew.

Arum Aquaticum minus; *five Arisarum fluitans*, *Pene nudo*, *Virginianum*. D. Banister. Pluk. Mantiss. 28.

83. *Numenius fuscus*. The brown Curlew.

Arum, *Sagittariæ folio angusto*, *acumine & auriculis acutissimis*.

84. *Numenius Ruber*. The Red Curlew.

85. *Hæmatopus*, Will. p. 297. Bellon. Lib. III. p. 203. The Oyfter-Catcher, so called, because it feeds upon Oysters, which it finds gaping when left dry on the Banks at low Water.

Frutex Bahamensis, *foliis oblongis succulentis fructu subrotundo unicum nucleum continente*. The Bark of this small Tree is used for tanning Sole-Leather.

86. *Anseri Bassano congener*, *Avis fluviatilis*. The great Booby.

An Thymelæa foliis obtusis?

87. *Anseri Bassano affinis fusca Avis*. Sloane Hist. Jamaic. The Booby. This Bird feeds on Fish, diving under Water after them, but is often robbed of his Prey by another voracious Bird, called the Man of War Bird, [or *Albitrosse*] The frequent Contests between these Birds are very diverting. The Author was credibly inform'd, that while the *Albitrosse* are setting and hatching their Young, their Heads change from Brown to Scarlet, and become Brown again afterwards.

88. *Hirundo Marina minor capite albo*. Sloane Hist. Jamaic. p. 31. The Noddy. These and the Boobies are such stupid Birds as to suffer one to take them by Hand.

89. *Larus major*. The Laughing Gull. They take their Name from the Noise they make.

90. *Larus major rostro inaequali*. The Cut-Water. They probably take their *English* Name from their commonly flying close to the Water, from the Surface whereof they seem to scoop up some Food with the under Part of their Bill, which is much longer than the upper.

91. *Podiceps minor rostro vario*. The Pied Bill Dophick.

92. *Anser Canadensis*. The Canada Goose.

93. *Anas Bahamensis, rostro plumbeo macula Aurantii coloris*. The Hathera Duck.

Chrysanthemum Bermudense, Leucoij foliis viridibus crassis. Pluk. Alm. 102.

94. *Anas cristatus*. The round crested Duck.

95. *Anas minor, purpureo capite*. The Buffel's-Head Duck.

96. *Anas Americanus lato rostro*. The Blue-wing'd Shoveler.

97. *Anas Americanus cristatus elegans*. The Summer Duck. This is one of the most beautiful of Birds, it being finely variegated with Red, Purple, Blue, Green, Black and White. They build in Holes of hollow Trees made by Woodpeckers; and their Young, before they can fly, hold themselves by their Bills fast on the Back of the old One, which flies with it from the Nest to the Water, and back again upon the Approach of any Danger.

98. *Anas minor ex albo & fusco vario*. The little brown Duck.

Frutex Buxi foliis oblongis, baccis pallide viridibus apice donatis. Soap-Wood. The Bark and Leaves of this Tree being bruised and mixed with Water produce a Lather, and are made use of to wash Cloaths and Linnen; but to the last they give a Yellowness. It grows in the *Bahama* Islands.

99. *Querquedula*. The blue-winged Teal. They feed on Rice, and becoming exceeding fat, are reckoned the best Meat of the Duck Kind.

100. *Querquedula Americana variegata*. The white-faced Teal.

F I N I S.

INDEX